

# Table of contents

Table of contents	1
About HTML5 Parallax Slider	2
Features in Detail	
The Basics: Basic Usage of HTML5 Parallax Slider	
Advanced: Creating Multiple Slides at Once	
Advanced: Controlling HTML5 Parallax Slider with Control Behaviors	41
Advanced: Using HTML5 Parallax Slider Behaviors	
Reference: HTML5 Parallax Slider Designs	
Video: Basic Usage of HTML5 Parallax Slider	
Video: Creating Multiple Slides at Once	
Video: Controlling HTML5 Parallax Slider with Control Behaviors	
Video: Using HTML5 Parallax Slider Behaviors	



## About HTML5 Parallax Slider



Create stunning presentations with the **HTML5 Parallax Slider**. Divide your content into different slides and add multiple elements in each one to create awesome 3D feeling for your users, fully visual within Dreamweaver. Add any content in your slides like images, text, video, and any HTML content and more. The extension has full touch support so you can swipe between slides with your fingers when you are using mobile devices.

Choose one of the 7 designs or just customize them through the CSS to fit your page. The integrated **DMXzone Image Resizer** will help you set all your images in

one size. Choose the duration of the slides as their transition - vertically or horizontally. Add as many elements as you need in every slide and adjust their position by dragging them fully visual in Dreamweaver design view. You can easily arrange the order of appearance and time transitions to create stunning 3D depth illusion effect.

With the Behavior Connector you can combine the **HTML5 Parallax Slider** with other DMXzone extensions such as <u>CSS Image Gallery</u>, <u>HTML5 Video Player</u>, <u>HTML5 MP3 Player</u>, <u>HTML5 3D Flipping Gallery</u> and many more.



## **Features in Detail**

• Present your content in amazing Parallax slides - Create stunning presentations and organize your content slide by slide.






• Awesome 3D illusion effect - Add multiple elements in every slide and create a 3D feeling for your customers.




• Add any content - In your slide you can add whatever you want - images, text, video, HTML tags, URLs and more.





- **CSS3 Transforms** Uses CSS3 Transforms to deliver smooth animations with hardware acceleration on mobile devices and the latest browsers that support the CSS3 Transforms.
- Full touch devices support You can slide by swiping with your finger touch when using a mobile device.






• Full visual drag & drop design in Dreamweaver - Simply hover over the container, click and drag it in order to move it.



• **Customize your slides** - You can add and remove slides, set the starting slide and rearrange the order. Adding and deleting images takes only a second or you can just import a whole folder. It has integrated DMXzone Image Resizer to help you with your images.





DMXzone Image Resizer			×
	CONE IMA mage Processing	ge Resizei	Enter Some
Gallery - New Folder			
	New Folder in the DMX folder will be resized ar	zone Parallax Slider nd a thumbnails will be cro	eated
Source Images Folder:			Browse
Image Resize Options			
Destination Folder:			Browse
Photos: Resi	ze to fit: 640 x 480	Type: JPG 🔻	
Help The source images folder on your local hard drive on	specifies the source folo r network drive.	der of your photos. This o	can be any folder
		ОК	Cancel

• **7 Amazing designs** - Choose one of 7 stunning designs which are CSS based, so if you need you can customize them to meet your needs.


	Parallax Slider	Width	640	Design	Default	•	Slide Duration	5000 ms	Add Element	+ - ★	• •
	dmxParallaxSlide	Height	480		Default Dark		Effect Duration	1500 ms	Behaviors 📎	Slide 2	i.
			🗖 Pa	use On Hov	Ebony Fancy		uto Play		(eyboard		
			🗌 Pa	ging Contro		h	rev & Next	Preloa	d Images		
_					Nice	_					



#### o **Default**



o Dark




Copyright © 2013 DM Xzone.com All Rights Reserved To get more go to DM Xzone.com Page 8 of 61



#### o **Ebony**



• Fancy



Copyright © 2013 DM Xzone.com All Rights Reserved To get more go to DM Xzone.com Page 9 of 61



o Fresh



o Light









#### • Nice



• Set direction - Choose how you slides slide - horizontally or vertically.



• Slide duration - Set the duration for each slide before going to the next one.





• Effect duration - Use this option to set the time transition between the slides change.

Parall	ax Slider Width	640 Design Defa	ault 🔹 Slide Duration	5000 ms Add Element	<b>+ - ★ ▲</b>	-
Para	laxSlider1 Height	480 Direction Hori	zontal 🔻 Effect Duration	1500 ms Behaviors 📎	Slide 2	i i
		Pause On Hover	Auto Play	Allow Keyboard		
		Paging Controls	Prev & Next	Preload Images		

• **Control the slides** - Choose how your slides will be controlled - allow keyboard navigation, put auto play, pause on hover and more.

Parallax Slider Width ParallaxSlider1 Height		<ul> <li>Slide Duration</li> </ul>	5000 ms Add Elemen	nt +- 🗙 🔺
ParallaxSlider1 Height	480 Direction Horizon	ta 👻 Effect Duration	1500 ms Behaviors	
	Pause On Hover	Auto Play	Allow Keyboard	
	Paging Controls	🗖 Prev & Next	Preload Images	

• Add Elements - In every slide you can add as much elements as you want. Inside every div container you can use any content - images, video, text, HTML tags, URLs and more.

Parallax Slider	Width	640 Design	Default	<ul> <li>Slide Duration</li> </ul>	5000 ms	Add Element	+ - 🔺	× ×
:ParallaxSlider1	Height	480 Direction	Horizonta	<ul> <li>Effect Duration</li> </ul>	1500 ms	Behaviors 🚫	Slide 2	
		Pause On Hover		Auto Play	Allow Keyboard			
		Paging Control	ols 📃	Prev & Next	Preloa	d Images		

• **Z-Index** - Slide elements are easily controllable by the Z-index! The higher the Z-index, the more an element is on the foreground and the faster it slides! The lower the Z-index, the more an element is on the background and the slower it goes! All calculated and animated automatically for you!

Parallax Element	Width	199	Left	412	Z-Index 10	Bg image	
Element1	Height	81	Тор	355	Speed	Bg color	 <b>\</b>
Transitio	ns Inco	ming C	elay		ms Duration	ms	
	Outg	oing D	elay		ms Duration	ms	



• **Speed** - Set the time when your element will show on the slide. For example if you put 2000ms the element will appear 2000ms after the Slide comes on screen.

Parallax Element W	Vidth 199	Left 4	12 Z-1	index 10	Bg image	
Element1 He	eight 81	Top 3	355 5	peed	Bg color	<b>\</b>
Transitions	Incoming D	elay	ms	Duration	ms	
	Outgoing D	elay	ms	Duration	ms	

• Add images - Add images to the element.

- <b>-</b> -	Parallax Element	Width	Left 22	Z-Index	0	Bg image	
	Element1	leight	Top 17	Speed		Bg color	<u>\</u>
	Transitions	Incoming D Outgoing D		ms Dura ms Dura		ms ms	

o Background color - Choose a background color for your element.

Parallax Element Width Left 22 Z-Index 0 Bg imag	e 🦳 🗀
Element1 Height Top 17 Speed Bg colo	r #E0EDF3
Transitions Incoming Delay ms Duration ms	#858989 🗹 📀 🕨
Outgoing Delay ms Duration ms	

o **Transitions** - Control the appearance and the outgoing for each element in your slide.

Parallax Element	Width 199	Left 412	Z-Index	10 Bg image		
Element1	Height 81	Top 355	Speed	Bg color	#FFFFFF	<b>_</b>
Transitions	Incoming	Delay	ms Durat	tion ms		
	Outgoing	Delay	ms Durat	tion ms		

• Set size - Set the size for the div element.



	Parallax Element	Width	199	Left	412	Z-Index	10	Bg image			
	Element1	Height	81	Тор	355	Speed		Bg color		<b>\</b>	
Transitions Incoming Delay ms Duration ms											
		Outg	oing D	elay		ms Dura	tion	ms			

• **Position** - Set the position for the element in the slide by entering values or just drag the container.

	Parallax Element	Width	199	Left	412	Z-Index	10	Bg image	
۳ <mark>ا</mark>	Element1	Height	81	Тор	355	Speed		Bg color	<b>S</b>
	Transitio	ns Incor	ning De	elay		ms Dura	tion	ms	
		Outg	oing De	elay		ms Dura	tion	ms	


• Element ID - Pick up a name for your div.

Parallax Element	Width	199	Left	412	Z-Index	10	Bg image	
Element1	Height	81	Тор	355	Speed		Bg color	<b>S</b>
Transition		-			ms Dur		ms	
	Outgo	oing D	elay		ms Dur	ation	ms	





• **Full support for the DMXzone Behavior Connector** - Bind your elements with other DMXzone extensions to trigger on show/hide element.




**Container size** - Set the dimensions for the slides.





• **ID name** - Set the ID for your slider.



• Full support for the DMXzone Behavior Connector - Set slide change to be a trigger and attach other DMXzone extensions.


DMXzone Behaviors Connector		x
Behavio Discover Unlimited Interconnecting ye	1 Possibilit	ties by
Available Behaviors		Available Events
DMXzone     Control Ajax Calendar     Control AJAX DataGrid     Control CSS Image Gallery     Control DMXzone Accordion     Control DMXzone Ajax Form     Control DMXzone Calendar 2     Control DMXzone Colorpicker     Control DMXzone Slider     Control DMXzone Slider     Control DMXzone Supersized     Control DMXzone Tabs     Control DMXzone Timepicker     Control HTML5 MP3 Player		* When Slide is Changed  Attached Behaviors
Usage		
Use this event to run behavior when a slide get You can use following masks: ##oldSlide## - the number of the previous s ##newSlide## - the number of the new slide	slide	
		OK Cancel



• **Fully controllable by behaviors** - Set different elements to control the Parallax slider with one of these actions - Go to next, play, stop, go to previous and jump to slide.

Control HTML5 Parallax	Slider	×
HTTML5 Parallax Slider: Action:	dmxParallaxSlider 1 Go to Previous	OK Cancel
Slide:	Go to Previous Go to Next Play Stop Jump to slide	

• Great Dreamweaver design preview - You can preview your parallax slider directly in Dreamweaver and see how it looks.



• **Powered by HTML5, CSS3 and jQuery** - Full cross-browser support to deliver the best user experience across all browsers and devices! Uses No Flash at all!



#### Before you begin

Make sure to setup your site in Dreamweaver first before creating a page. If you don't know how to do that please <u>read this</u>.

## Installing the extension

Read the tutorial at <a href="http://www.dmxzone.com/go/4671/how-to-install-extensions-from-dmxzone/">http://www.dmxzone.com/go/4671/how-to-install-extensions-from-dmxzone/</a>

Login, download the product, and look up your serial at <a href="http://www.dmxzone.com/user/products">http://www.dmxzone.com/user/products</a>

Get the latest extension manager from Adobe at <a href="http://www.adobe.com/exchange/em\_download/">http://www.adobe.com/exchange/em\_download/</a>

Open the .mxp file (the extension manager should start-up) and install the extension.

If you experience any problems contact our Live Support!



# The Basics: Basic Usage of HTML5 Parallax Slider

In this tutorial we will show you how to use the **HTML5 Parallax Slider** and the basic features packed in it. \*You can also check out the <u>video</u>.





## How to do it

1. Click the Insert button (1) to add the HTML5 Parallax Slider (2) to your page.

File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help 📰 🗘 🛣 Designer	• p	. 🗆	×
.html ×	Dubucama) usus dica kati in davi		
e Gode) bootstrap.css style.css dmxParallaxSlider.css jquery-latest.pack.js dmxParallaxSlider.js	Insert DMXzone ▼	<u> </u>	Þ
ode Spit Design Live 🦏 🚱 Mr. 🗠 🛒 🧑 C Title: Titled Document		•	
	Advanced HTML Editor 3		Ø
	C dmxSlidingPanels		
	Sliding Billboard		
	HTML5 Video Player		jq
	HTML5 3D Flipping Gallery	(	<b>L</b>
	Pure ASP Upload 3		
	O DMXzone Ajax Form		
	2 🗊 HTML5 Parallax Slider		
	Q Ajax Autocomplete	Ξ	<del>،</del> ۵
	dmxCSS3DropShadows	-	1
			L.
			3
			<b>.</b>
			<u> </u>
			< <b>x</b>
> <div#header.container> <div.row> {<div.span12></div.span12></div.row></div#header.container>	] 1244 x 467 v 1K / 1 sec Unicode	(UTF-8)	
rties		*=	
TML Format None V Class span12 V B Z 🗄 🏥 🏥 Title		? 2	
SS ID None  Link  Generation International I			
Page Properties         List Item			



2. Now, we will change the size of our Slider by adjusting the **width and height (1)** and select the **Light design (2)** from the drop down menu in the Property inspector.

DW File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help 📰 🌣 🏭 Designe	er • 🔎 🗖
index.html* ×	D:\wamp\www\cake\index.html 🗗
Source Code bootstrap.css style.css dmxParallaxSilder.css jquery-latest.pack.js dmxParallaxSilder.js	9
Code Split Design Live 🦏 🚱 🕅 🗠 🔂 C Title: Titled Document	
HTMS Parallax Side         Image: Some great content	
 	1227 x 450 + 1K / 1 sec Unicode (UTF-8)
Properties	<b>*</b> ≣
Parallax Slide1 Width 940 Design Default Slide Duration 5000 ms Add Element + - * * * * dmxParallaxSlide Height 480 Direction Default Dark Effect Duration 1500 ms Behaviors S Slide 2 Slide	0 2



3. For this tutorial we choose the Horizontal direction (1) for the slides move and leave the default slide and effect duration speed (2).

DW File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help 📰▼ 🌣▼ 🖁▼	Designer 👻	
index.html* ×		D:\wamp\www\cake\index.html 🗗
Source Code bootstrap.css style.css dmxParallaxSlider.css light.css jquery-latest.pack.js dmxParallaxSlider.js		9
Code Split Design Live 🙀 🚱 Mr 🗠 🧮 🗞 C Title: Titled Document		
HTMLS Parallax Sider		
Bome great content		
		E
		-
   	1 🛄 🛄 1	227 x 467 * 1K / 1 sec Unicode (UTF-8)
Parallax Slider Width 940 Pesign Light Slide Duration 5000 ms Add Element Add Element Slide 1 dmxParallaxSlid Height 480 Direction Horizonta Effect Duration 1500 ms Behaviors Slide 2		0 2
Image: Pause On Hover     Image: Pause On Hover       Image: Paging Controls     Image: Prev & Next       Image: Paging Controls     Image: Prev & Next		<u>م</u>



4. You can **customize the appearance of the slider and the play options**, which we will leave by their defaults.

DW File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help 📰 🗘 🛣	Designer 👻	
index.html* ×		D:\wamp\www\cake\index.html 🗗
Source Code) bootstrap.css style.css dmxParallaxSlider.css light.css jquery-latest.pack.js dmxParallaxSlider.js		9
Code Split Design Live 🦏 🚱 🕅 🕬 📆 🐼 C Title: Titled Document		
<pre>cbody&gt; <dv#header.contaner> <dv.row> <dv.span12> [<dv#dmxparallaxslider1.dmxparallaxslider]< pre=""></dv#dmxparallaxslider1.dmxparallaxslider]<></dv.span12></dv.row></dv#header.contaner></pre>	10% × • • • • 1223	E x 467 v 1K / 1 sec Unicode (UTF-8)
Properties		*
Parallax Slider Width 940 Design Light  Slide Duration 5000 ms Add Element Height 480 Direction Horizonta  Effect Duration 1500 ms Behaviors  V Pause On Hover  Auto Play  Auto Play Auto Play		0 🛃
✓ Paging Controls     ✓ Prev & Next     ✓ Preload Images		




5. In order to add a background image for the first slide, **select Slide 1 (1)** and click **Add new image button (2)**.

DW File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help 🔤 🐼 🏭	Designer 👻	
index.html* ×		D:\wamp\www\cake\index.html 🗗
Source Code) bootstrap.css style.css dmxParallaxSilder.css light.css jquery-latest.pack.js dmxParallaxSilder.js		9
Code Split Design Live 🦏 🖏 🕸 🛃 🐼 C Title: Titled Document		
KTML5 Paralax Sider         Image: Some great content         Some great content              Cody> <dv =header.container=""> <dv.row> <dv.span12> [cdv=dmxParalaxSider1.dmxParalaxSider2]</dv.span12></dv.row></dv>		E
Properties		27 x 467 → 1K / 1 sec Unicode (UTF-8)
Paralax Slider Width 940 Design Light Slide Duration 5000 ms Add Element Stde I 2 2 dmxParallaxSlid Height 480 Direction Horizonta Effect Duration 1500 ms Behaviors Slide 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		0 2
Pause On Hover     Auto Play     Auto Play     Auto Play     Auto Play     Prev & Next     Preload Images		<u>,</u>




6. In the choose a file window, select the image and click OK.





7. Now, we're going to add an image element to the same slide. Select the **default element (1)** and delete its **default content (2)**.






- III▼ \$▼ &▼ DW File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help Designer + 🔎 1 Tag... Ctrl+E index.html\* × ē Ctrl+Alt+I Image Source Code bootstrap.css ery-latest.pack.js dmxParallaxSlider.js 9 Image Objects Code Split Design 2 Title: Titled Document Media DMXzone Templates DMXzone . Media Queries... Table Ctrl+Alt+T Table Objects Layout Objects . Form . Hyperlink Email Link Named Anchor Ctrl+Alt+A Date Server-Side Include Comment HTML Template Objects . Recent Snippets Widget... Spry . jQuery Mobile InContext Editing <body> <div...> <div.row> < . > <div.dmxParallaxSliderSlide > <div.dmxParallaxSliderElement > ▶ 🥙 🔍 100% 👻 🔳 🔳 1227 x 467 🛩 1K / 1 sec Unicode (UTF-8) Properties Data Objects ? 0 Parallax Element V Customize Favorites... 0 H Get More Objects... Transitions Incoming Delay ms Duration ms ms Duration Outgoing Delay ms
- 8. In the insert menu (1), go to the image menu item (2).




9. In the select image source window, choose the desired image.








10. You can **resize (1)** the Slide Element and **drag (2)** it to any position within the slide. You can also set a **specific size (3)** from the property inspector, and change **the Z-index (4)**. The higher the z-index is, the faster the elements speed is.






11. You can add a background image and a background color (1) to the slide elements. Also, you can customize the Incoming and Outgoing Delay (2) for each of the slide elements as well as the Incoming and Outgoing effect Duration (3).






12. Now, we're going to add a new slide element and in order to do that, click the **Parallax slider (1)** and click the **add element button (2)** in the property inspector.








13. For the new element, we do the same in order to customize its content and appearance.




14. Now you can save your work and preview the result in the browser.





# Advanced: Creating Multiple Slides at Once

In this tutorial we will show you how to create multiple slides at once using **HTML5 Parallax Slider**. \*You can also check out the <u>video</u>.





## How to do it

1. Click the Insert button (1) to add the HTML5 Parallax Slider (2) to your page.

File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help 📰 🕈 🎝 🕶 🏭 Designer 🗸	- Q			x
.html ×	Insert	n medica a contracta esta da contracta	-	••
2006) bootstrap.css style.css dmxParallaxSilder.css jquery-latest.padk.js dmxParallaxSilder.js	DMXzo		1	<b>P</b>
ode Spit Design Live 🦏 🚱 🕅 🖓 📆 🗞 C Title: Titled Document		Advanced HTML Editor 3	L. I	Ø
	ء <u>ي</u>	dmxSlidingPanels		
	躗 s	Sliding Billboard		
	۳	-TTML5 Video Player		ją
	1	TTML5 3D Flipping Gallery		
	🖄 F	Pure ASP Upload 3		
	0	MXzone Ajax Form		
	2 🗊 🕛	-TTML5 Parallax Slider		<u>iii</u>
	٩ ،	Ajax Autocomplete	Ξ	<b>«</b> ۶
	1	dmxCSS3DropShadows	-	1
		000000		Ŀ
				3
				ቆ
				<,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
> cdv:sheader.container> <div.row> (div.span12&gt;) 👔 🐘 💭</div.row>	1244 x 46			
rties TML Format None ▼ Class span12 ▼ B I I := := := Title			*≣ ⊘	
TML     Format     None     ▼     Class     span12     ▼     B     I     III     III       SS     ID     None     ▼     Link     ▼     Gg Careet     Target     ▼		(	⊙ ∡	
Page Properties List Item				




2. First, we remove the default slides (1). Make sure that the DMXzone image resized is enabled (2) and click the import a whole folder button (3).

DW File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help 📰 🌣 🎄 Designer - Designer -	
index.html* X D:\wamp\www.cake\ind	ex.html 🗗
sourceLode bootstrap.css style.css dmxHarallaxSider.css light.css jquery-latest.pack.js dmxHarallaxSider.js	7
Code Split Design Live 🧛 🕄 🎊 C Title: Titled Document	
HTMS Pavilie: Sider     HTMS Pavilie: Sider	E
<pre> *  *  *  *  *  *  *  *  *  *  *  *  *</pre>	vide (UTF-3)



3. In the DMXzone image resizer window, click the Browse button (1) and select the images folder (2).





4. Click the Browse button (1) in order to select a destination folder and set the photos size (2).

DW File Edit View Insert Modify Format Commands	Site Window Easy CSS3 Help III▼ ✿▼ 品▼	Designer 👻 🛛	○
index.html* ×			D:\wamp\www\cake\index.html 🗗
Source Code bootstrap.css style.css dmxParallaxSlider.css light.css	jquery-latest.pack.js dmxParallaxSlider.js		7
Code Split Design Live 🔩 🚱 🕅 🗠 式 🐼	C Title: Titled Document		
HTMLS Parallax Side	DMXzone Image Resizer           DMXzone Image Resizer           Image Resize Options           Destination Folder:           Image Resize Options           Image Resize Options           Image Resize to fit:           1           1		E
	Help  specify the max width of the images.  OK Cancel  % ration 5000 ms Add Element + - 1	• • B D 1227 :	x 450 v 1K / 1 sec Unicode (UTF-8) © &



5. The Slides titles are automatically generated from the filenames. Now you can add your slide elements and customize the appearance settings.

DW File Edit View Insert Modify Format Commands Site Window EasyCSS3 Help ■▼ &▼ &▼ Designer •	
index.html* X	D:\wamp\www\cake\index.html 🗗
Source Code bootstrap.css style.css dmxParallaxSlider.css light.css jquery-latest.pack.js dmxParallaxSlider.js	9
Code Split Design Live 🦏 🚱 Mr. 🖗 🛃 🗞 C Title: Titled Document	
	E
	-
<	1227 x 450 v 1K / 1 sec Unicode (LITE-8)
Properties	*=
Parallax Slider Width 940 Design Default V Slide Duration 5000 ms Add Element dmxParallaxSlid Height 480 Direction Fffect Duration 1500 ms Behaviors V Pause On Hover V Auto Play V Allow Keyboard V Paging Controls V Prev & Next V Preload Images Pepsized Blur 10	() () ()




6. Now you can save your work and preview the result in the browser.

DW File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help ■▼ &▼ &	Designer +
index.html* ×	D:\wamp\www\cake\index.html 🗃
Source Code bootstrap.css style.css dmxParallaxSlider.css light.css jquery-latest.pack.js dmxParallaxSlider.js	<u>چ</u>
Code Split Design Live 🦏 🕄 M. 🗠 🔣 🗟 C Title: Titled Document	
	F
< الله الله الله الله الله الله الله الل	100% v II 1227 x 450 v 1K / 1 sec. Unicode (UTF-8)
Properties	*
Parallax Slider Width 940 Design Default V Slide Duration 5000 ms Add Element Construction 480 Direction Februards Bur 05 Pepsized Blur 05 Pep	@ &



## Advanced: Controlling HTML5 Parallax Slider with Control Behaviors


In this tutorial we will show you how to control **HTML5 Parallax Slider** using Dreamweaver Control Behaviors. \*You can also check out the <u>video</u>.






### How to do it

1. We already added inserted the **HTML5 Parallax Slider** on our page, which contains 3 slides.





 We added three text links that we are going to use in order to control the HTML5 Parallax Slider. Select the first link (1) and click the Tag inspector (2). In behaviors (3), click the add behavior button (4), choose the DMXzone menu item (5) and select the Control HTML5 Parallax Slider (6).






3. In the Control HTML5 Parallax Slider window, select the jump to slide item (2) from the action combo box (1).

ode bootst	esign Live ५ 🚱 🕼 🗠 🛃 🗔 C Title			• ·	
		Control HTML5 Parallax Slider		CS: CS: AP Tag Inspector Attributes Behaviors Tag	
	High caliber fun for those with big feet.	HTML5 Parallax Slider: dmxParallaxSlider 1	Cancel Calculate		
div≠header.dr	Go to slide 1 Go to slide 2 Go to slide 3 active - div.container > div.row > div.span4 > <a.btb.btb-bloc< td=""><td>k.btr-success&gt;</td><td>و 100% م</td><td></td><td>4 1 4</td></a.btb.btb-bloc<>	k.btr-success>	و 100% م		4 1 4
5	t None   Class btn btn-block   B				
	None	▼ ⊕ 🗀 Target ▼		<	•






4. We **enter 0 in the Slide field** as we need to jump to the first slide. We use 1 for the second slide, 2 for the third slide, etc. We do the same with the other 2 links.






5. Now you can save your work and preview the result in the browser.





## Advanced: Using HTML5 Parallax Slider Behaviors


In this tutorial we will show you how to use **HTML5 Parallax Slider** behaviors. \*You can also check out the <u>video</u>.





#### How to do it

1. We are going to control the HTML5 Video Player using the HTML5 Parallax Slider behaviors. Click the Insert button (1) to add the HTML5 Parallax Slider (2) to your page.





2. Adjust the size and appearance of HTML5 Parallax Slider.

DW File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help ■▼ &▼ &▼	Designer +
index.html* ×	D:\wamp\www\cake\index.html 🗗
Source Code bootstrap.css style.css dmxParallaxSlider.css style.css jquery-latest.pack.js dmxParallaxSlider.js dmxHTML5VideoPlayer.js projekktor	min.js 💡
Code Split Design Live 🦣 🚱 Nr 🗠 🔣 🗞 C Title: Titled Document	
HTMLS Parallax Sider	
۲	
	💺 🥙 🔍 100% 👻 🔳 💻 1227 x 450 ∨ 1K / 1 sec Unicode (UTF-8)
Properties         Parallax Silder       Width 640       Design Default <ul> <li>Silde Duration</li> <li>Sold mxParallaxSild</li> <li>Height</li> <li>Height</li> <li>Pause On Hover</li> <li>Auto Play</li> <li>Allow Keyboard</li> <li>Preva Next</li> <li>Preva Next</li> <li>Preva Next</li> </ul>	



3. We are going to insert the HTML5 Video Player into the slide element. In order to do that, clear the default content (1) and from the insert menu (2), add the HTML5 Video Player (3).

HTML5 Paralax Side Some great content	HTML Editor 3
	Joload 3 Ajax Form rallax Slider complete DropShadows
m	· · ·
<div.container> <div.row> <div.span12> <div#dmxparallaxslider1.dmxparallaxslider> <div.dmxparallaxsliderslide> &lt;<u>div.dmxParallaxSliderElement&gt;</u></div.dmxparallaxsliderslide></div#dmxparallaxslider1.dmxparallaxslider></div.span12></div.row></div.container>	1 sec Unicode (UTF-8)
Parallax Element Width Left 40 Z-Index 10 Bg image	




4. Add your video and adjust the HTML5 Video Player appearance settings.

File Edit View Insert Modify Format HTML5 Video Player		signer + p
.html* ×		
	5 Video Player	Insert →   v≡ DMXzone ▼
	Future of Web video!	Advanced HTML Editor 3  HTML 5 Video Player  HTML 5 3D Flipping Gallery  HTML 5 3D Flipping Gallery  Advanced Advanced Advanced Advanced Advanced Advanced HTML 5 Parallax Slider  Advanced Advan
Videos watch?v=knYPic Video in MP4 Format: https://www.youtub	video Formats be.com/watch?v=knYPicewVKk 📄 💋	
Video in WebM Format:		
<div.container> <div.row> <div.span12> <div#dmxp< p=""></div#dmxp<></div.span12></div.row></div.container>	Video Options	■ 1227 x 450 v 1K / 1 sec Unicode (UTF-8)
rties Video Title:		*
Parallax Element Width Left 40 Z-Int Video Poster:		٢
Height Top 40 Spr	Disallow Skip	ž.
Transitions Incoming Delay ms t Outgoing Delay ms t		




5. Select the slide element that holds the HTML5 Video Player (1) and click the add/edit behaviors button (2).





6. In the DMXzone behaviors connector window, select when slide element is shown (1), and from the available DMXzone behaviors, choose control HTML5 Video Player (2) and add it (3).






- Designer 🖌 🔎 File Edit View Insert Modify Format Commands Site Window Easy CSS3 Help III▼ Q▼ &. .html\* × 2 e Code bootstrap.css style.css dmxParallaxSlider.css style.css jquery-latest.pack.js dmxParallaxSlider.js dmxHTML5VideoPlayer.js projekktor.min.js 9 de 🛛 Split Design Live 🙀 🎯 🕀 🗠 🧮 DMXzone Behaviors Connector 23 E  $\underline{A}$ **Behavior** Connector DAUX Discover Unlimited Possibilities by Interconnecting your DMXzone Extensions! jQ **h** Available Events Available Behaviors Control DMXzone Feed Ticker . When Slide Element is Shown -X Control HTML5 Video Player -2 OK HTML5 Video Player: vidPlayer1 • 3 Cancel Action: Play 6 Number: Pause Stop Next 3 Previous Toggle Pause \*\*\* Toggle Mute Mute Unmute Usage Usage Unnute
  Use this event to run behavior when a slid
  Set Volume
  Go To Position
  Set Volume
  Go To Video
  Show Poster
  Switch to Fullscreen
  Torato Fullscreen **,** Toggle Fullscreen <div.container> <div.row> <div.span12> <div#dmxParallaxSli</p> ■ 🔲 1227 x 467 × 556K / 12 sec Unicode (UTF-8) Cancel OK • Parallax Element Width 576 Left 177 Z-Index 10 ٦ Height 325 Top 41 Speed Ba color -5 Transitions Incoming Delay ms Duration ms Outgoing Delay ms Duration ms
- 7. In the Control HTML5 Video Player window, **select play** from the action combo box and click OK.




8. Now, select when slide element is hidden event and do the same but choose the stop action.






9. Now you can save your work and preview the result in the browser.





# **Reference: HTML5 Parallax Slider Designs**

Default



Dark



Copyright © 2013 DM Xzone.com All Rights Reserved To get more go to DM Xzone.com Page 57 of 61



### Ebony



Fancy



Copyright © 2013 DM Xzone.com All Rights Reserved To get more go to DM Xzone.com Page 58 of 61



Fresh



Light



Copyright © 2013 DM Xzone.com All Rights Reserved To get more go to DM Xzone.com Page 59 of 61



Nice





## Video: Basic Usage of HTML5 Parallax Slider



With this **movie** we will show you how to use **the HTML5 Parallax Slider** and the basic features packed in it.

# Video: Creating Multiple Slides at Once



With this <u>movie</u> we will show you how to create multiple slides at once using **HTML5 Parallax Slider**.

# Video: Controlling HTML5 Parallax Slider with Control Behaviors



With this **movie** we will show you how to control **HTML5 Parallax Slider** using Dreamweaver Control Behaviors.

## Video: Using HTML5 Parallax Slider Behaviors



With this **movie** will show you how to use **HTML5 Parallax Slider** behaviors.